



UNITED STATES PATENT AND TRADEMARK OFFICE

cen

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/686,560	10/17/2003	Kyesan Lee	244079US2	8983
22850	7590	11/07/2007		
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER YUEN, KAN	
			ART UNIT 2616	PAPER NUMBER
			NOTIFICATION DATE 11/07/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No. 10/686,560	Applicant(s) LEE ET AL.	
	Examiner Kan Yuen	Art Unit 2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 August 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5-10, 12-13 is/are rejected.
- 7) ☒ Claim(s) 4 and 11 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Response to Arguments

1. Applicant's arguments, see page 1 of the remark, filed 8/15/2007, with respect to the rejection(s) of claim(s) 1-13 under 102/103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Sudo (EP1249955).

Claim Rejections - 35 USC § 103

1. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1, 2, 5, 6, 8, 9, 12, and 13 are rejected under 35 U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Sudo (EP1249955).

For claim 1, Sudo disclosed the method of a transmitter device for communicating with a plurality of receiver devices in a cell through radio channels, the transmitter device comprising: an OFDM transmission means (see paragraph 0023, lines 1-12, and see paragraph 0024, lines 1-14, and see fig. 3); a MC-CDMA transmission means (see paragraph 0166, lines 1-6, see paragraph 0167, lines 1-5, and see paragraph 0167, lines 1-15, and see fig. 25); and a control means for selecting (see fig. 25, box selection 102, and conversion 103) either the OFDM transmission means or the MC-CDMA transmission means at slot time assigned to the receiver device in response to propagation conditions (see fig. 25, box detection 115) for the receiver device. As revealed in the drawing, the selection 102 selects preamble 1 or 2 based on the quality information from the receiver, and therefore we can interpret that as propagation conditions. However, Sudo did not explicitly teach the method of selecting OFDM or MC-CDMA for transmission, but in the reference, embodiment 1 is illustrated in fig. 3, which teaches only OFDM. Embodiment 12, illustrated in fig. 25 teaches OFDM-CDMA. In paragraph 0205, it revealed that OFDM-CDMA could be applied to any embodiments from 1-10. Therefore, we can interpret that either embodiment 1 or embodiment 12 can be selected as modulation schemes for transmission. Thus, it would have been obvious to person of ordinary skill in the art at the time of the invention

to use the obviousness in the network of Sudo. The motivation for using the obviousness in the network of Sudo being that it provides improvement on both demodulated signal error rate and information signal transmission efficiency.

Regarding to claim 2, Sudo also teaches the method of the control means dynamically selects a modulation scheme and a channel coding rate in both the OFDM transmission means and the MC-CDMA transmission means (see fig. 25, box selection 102, and conversion 103, and see paragraph 0023, lines 1-12, and see paragraph 0014, lines 1-5). As revealed in the reference, the modulation scheme can be OFDM, or OFDM-CDMA or MC-CDMA or QAM; and further dynamically selects a spreading rate when using the MC-CDMA transmission means (see paragraph 0167, lines 1-15, and fig. 25, box 2402). Although the reference did not explicitly reveal to select a spreading rate, however as shown in fig. 25, box 2402, there must be a selected initial spreading rate in order to perform spreading process. Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to use the obviousness in the network of Sudo. The motivation for using the obviousness in the network of Sudo being that it provides improvement on both demodulated signal error rate and information signal transmission efficiency.

Regarding to claim 5, Sudo also teaches the method of the propagation conditions further include a delay spread and a maximum Doppler frequency (Sudo see paragraph 0014, lines 1-5), as shown in the reference, the computer simulation is based on the quality information shown in paragraph 0042.

Regarding to claim 6, Sudo also teaches the method of the transmitter device further comprises a transmit power control means for controlling a transmit power at slot time assigned to the receiver device (Sudo see paragraph 0178, lines 1-17, and see fig. 28, box Power Calculation 2701). As shown in the reference, the power calculation unit calculates the power of the signal.

Regarding to claim 8, Sudo also teaches the method of a device for communicating with a plurality of devices in a cell through radio channels, the transmitting method comprising the steps of: selecting either an OFDM scheme (see paragraph 0023, lines 1-12, and see paragraph 0024, lines 1-14, and see fig. 3) or a MC-CDMA scheme (see paragraph 0166, lines 1-6, see paragraph 0167, lines 1-5, and see paragraph 0168, lines 1-15, and see fig. 25) at slot time assigned to the receiver device in response to propagation conditions (see fig. 25, box detection 115) for the receiver device; and transmitting signal by using the selected scheme. As revealed in the drawing, the selection 102 selects preamble 1 or 2 based on the quality information from the receiver, and therefore we can interpret that as propagation conditions. In the reference, embodiment 1 is illustrated in fig. 3, which teaches only OFDM. Embodiment 12, illustrated in fig. 25 teaches OFDM-CDMA. In paragraph 0205, it revealed that OFDM-CDMA could be applied to any embodiments from 1-10. Therefore, we can interpret that either embodiment 1 or embodiment 12 can be selected as modulation schemes for transmission. Thus, it would have been obvious to person of ordinary skill in the art at the time of the invention to use the obviousness in the network of Sudo. The motivation for using the obviousness in the network of Sudo being that it provides

improvement on both demodulated signal error rate and information signal transmission efficiency.

Regarding to claim 9, Sudo also teaches the method of the control means dynamically selects a modulation scheme and a channel coding rate in both the OFDM transmission means and the MC-CDMA transmission means (see fig. 25, box selection 102, and conversion 103, and see paragraph 0023, lines 1-12, and see paragraph 0014, lines 1-5). As revealed in the reference, the modulation scheme can be OFDM, or OFDM-CDMA or MC-CDMA or QAM; and further dynamically selects a spreading rate when using the MC-CDMA transmission means (see paragraph 0168, lines 1-15, and fig. 25, box 2402). Although the reference did not explicitly reveal to select a spreading rate, however as shown in fig. 25, box 2402, there must be a selected initial spreading rate in order to perform spreading process. Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to use the obviousness in the network of Sudo. The motivation for using the obviousness in the network of Sudo being that it provides improvement on both demodulated signal error rate and information signal transmission efficiency.

Regarding to claim 12, Sudo also teaches the method of the propagation conditions further include a delay spread and a maximum Doppler frequency (Sudo see paragraph 0014, lines 1-5), as shown in the reference, the computer simulation is based on the quality information shown in paragraph 0042.

Regarding to claim 13, Sudo also teaches the method of the transmitter device further comprises a transmit power control means for controlling a transmit power at slot

time assigned to the receiver device (Sudo see paragraph 0178, lines 1-17, and see fig. 28, box Power Calculation 2701). As shown in the reference, the power calculation unit calculates the power of the signal.

3. Claims 3 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sudo (EP1249955), in view of Blasco Claret et al. (Pub No.: 2004/0037214).

For claim 3, Sudo disclosed all the subject matter of the claimed invention with the exception of the propagation conditions are a distance from the receiver device and a ratio of carrier power to interference signal power and noise power. Blasco Claret et al. from the same or similar fields of endeavor teaches the method of the propagation conditions are a distance from the receiver device and a ratio of carrier power to interference signal power and noise power (Blasco Claret et al. see paragraph 0026, lines 1-10). The reference revealed the means to calculate the SNR based on the different location of the users, wherein the SNR can be interpreted as ratio of carrier power to interference signal power and noise power. We can interpret this mean as a propagation condition based on SNR and distance of users. Thus, it would have been obvious to the person of ordinary skilled in the art at the time of the invention to use the method as taught by Blasco Claret et al. in the network of Sudo. The motivation for using the method as taught by Blasco Claret et al. in the network of Sudo being that it provide high speeds in a point to multipoint communication over the electricity network.

Claim 10 is rejected using the same rejection applied to claim 3, because claim 10 is a method claim of claim 3.

7. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sudo (EP1249955), in view of Mousley (Pub No.: 2002/0172160).

For claim 7, Sudo disclosed all the subject matter of the claimed invention with the exception of the transmitter device further comprises a means for performing site diversity to the receiver device sited in a boundary of between the cells so that the transmitter device simultaneously transmits the same signal as other transmitter device in other cell. Mousley from the same or similar fields of endeavor teaches the method of a means for performing site diversity to the receiver device sited in a boundary of between the cells so that the transmitter device simultaneously transmits the same signal as other transmitter device in other cell (Mousley see paragraph 0022, lines 1-10, and see fig. 1). As shown in the drawing, each transceivers and microcontrollers defines its own coverage area CA1, CA2, which in this case can be interpreted as performing site diversity. The primary and secondary stations are allocated in each cell. All stations comprise transceivers and microcontrollers to be able to roam between within the coverage cells. Therefore, each primary station in each cell could be transmitting the same signal if a secondary station moves to the border of the cell. Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to use the method as taught by Mousley in the network of Sudo. The motivation for using the method as taught by Mousley in the network of Sudo being that

Art Unit: 2616

in each coverage area, the transceiver has the capabilities to measure the power strength of receiving signal.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Varshney et al. (Pub No.: 2004/0028021), Walton et al. (Pub No.: 2003/0081538), and Makipaa (Pub No.: 2001/0031639), are show systems which considered pertinent to the claimed invention.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kan Yuen whose telephone number is 571-270-2413. The examiner can normally be reached on Monday-Friday 10:00a.m-3:00p.m EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky O. Ngo can be reached on 571-272-3139. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ky



CHIRAG G. SHAH
PRIMARY PATENT EXAMINER